Author Index

ABBOTT, L. K. (see BRUNDRETT, M. C.), 461

AGERER, R., KLOSTERMEYER, D. & STEGLICH, W., *Piceirhiza nigra*, an ectomycorrhiza on *Picea abies* formed by a species of Thelephoraceae, 377

AHMAD, I. (see QUORESHI, A. M.), 263

AHONEN-JONNARTH, U. (see MARKKOLA, A. M.), 139

ÅLENIUS, C. M., VOGELMANN, T. C. & BORNMAN, J. F., A three-dimensional representation of the relationship between penetration of u.v.-B radiation and u.v.-screening pigments in leaves of *Brassica napus*, 297

ALEXANDER, I. J. (see HODGE, A.), 255

ANDERSEN, C. P., Allocation of carbon in mycorrhizal *Pinus ponderosa* seedlings exposed to ozone, 471

ASHENDEN, T. W. (see RAFAREL, C. R.), 481

ASHFORD, A. E. (see YOUNG, N.), 33

BAJITA, J. B. (see KIRK, G. D. J.), 129

BANGA, M., BLOM, C. W. P. M. & VOESENEK, L. A. C. J., Flood-induced leaf elongation in *Rumex* species: effects of water depth and water movements, 191

BARROW, N. J. (see SCHWEIGER, P. F.), 247

BERMADINGER-STABENTHEINER, E. & STABENTHEINER, A., Dynamics of thermogenesis and structure of epidermal tissues in inflorescences of *Arum maculatum*, 41

BLOM, C. W. P. M. (see BANGA, M.), 191

BONILLA, I. (see FERNANDEZ-PIÑAS, F.), 403

BONNETT, G. D. & SIMPSON, R. J., Fructan exohydrolase activities from *Lolium rigidum* that hydrolyze β-2,1- and β-2,6-glycosidic linkages at different rates, 199

BORNMAN, J. F. (see ÅLENIUS, C. M.), 297

BOSAC, C. (see GARDNER, S. D. L.), 81

BRUNDRETT, M. C. & ABBOTT, L. K., Mycorrhizal fungus propagules in the jarrah forest. II. Spatial variability in inoculum levels, 461

BYRES, D. P. (see JOHNSON, J. D.), 381

CAIRNS, A. J., HOWARTH, C. J. & POLLOCK, C. J., Errata. *The New Phytologist* **130** (1995), 391–400, 409

CALLAGHAN, T. V. (see POTTER, J. A.), 533

CALLOW, J. A. (see LECKIE, C. P.), 211

CARLSSON, A. S. (see SANDELIUS, A. S.), 231

CARLSSON, R. (see EKBLAD, A.), 443

CEULEMANS, R., VAN PRAET, L. & JIANG, X. N., Effects of CO_2 enrichment, leaf position and clone on stomatal index and epidermal cell density in poplar (*Populus*), 99

CLEMENT, J. M. A., HENK VENEMA, J. & VAN HASSELT, P. R., Short-term exposure to atmospheric ammonia does not affect low-temperature hardening of winter wheat, 345

DAMESIN, C. & RAMBAL, S., Field study of leaf photosynthetic performance by a Mediterranean deciduous oak tree (*Quercus pubescens*) during a severe summer drought, 159

DAVISON, A. W. & REILING, K., A rapid change in ozone resistance of *Plantago major* after summers with high ozone concentrations, 337

DAVISON, E. M. & TAY, F. C. S., Predictions of where minimal damage to jarrah roots could result in tree death, 393

DEAN, T. J. (see JOHNSON, J. D.), 381

DIGGLE, A. J. (see TSEGAYE, T.), 179

DIJK, E. & ECK, N., Axenic *in vitro* nitrogen and phosphorus responses of some Dutch marsh orchids, 353

——, ECK, N., Ammonium toxicity and nitrate response of axenically grown *Dactylorhiza incarnata* seedlings, 361

DITOMMASO, A. & WATSON, A. K., Impact of a fungal pathogen, *Colletotrichum coccodes* on growth and competitive ability of *Abutilon theophrasti*, 51

DOLAN, L. & ROBERTS, K., Secondary thickening in roots of *Arabidopsis thaliana*: anatomy and cell surface changes, 121

DUCKETT, J. G. (see KINGHAM, K. I.), 543

ECK, N. (see DIJK, E.), 353, 361

EKBLAD, A., WALLANDER, H., CARLSSON, R. & HUSS-DANELL, K., Fungal biomass in roots and extramatrical mycelium in relation to macronutrients and plant biomass of ectomycorrhizal *Pinus sylvestris* and *Alnus incana*, 443

——, HUSS-DANELL, K., Nitrogen fixation by *Alnus incana* and nitrogen transfer from *A. incana* to *Pinus sylvestris* influenced by macronutrients and ectomycorrhiza, 453

ELMI, A. A. & WEST, C. P., Endophyte infection effects on stomatal conductance, osmotic adjustment and drought recovery of tall fescue, 61

FERHI, A. (see GUEHL, J.-M.), 149

FERNANDEZ-PIÑAS, F., MATEO, P. & BONILLA, I., Cadmium toxicity in *Nostoc* UAM208: protection by calcium, 403

FERRIS, R. & TAYLOR, G., Contrasting effects of elevated CO_2 and water deficit on two native herbs, 491

FILELLA, I. (see PEÑUELAS, J.), 291

FÖRSTEL, H. (see SEGSCHNEIDER, H.-J.), 109

FORT, C. (see GUEHL, J.-M.), 149

GAMON, J. A. (see PEÑUELAS, J.), 291

GARDNER, S. D. L., TAYLOR, G. & BOSAC, C., Leaf growth of hybrid poplar following exposure to elevated CO_2, 81

GLYN, M. C. P. (see KINGHAM, K. I.), 543

GOODAY, G. W. (see HODGE, A.), 255

GREEN, J. R. (see LECKIE, C. P.), 211

GUEHL, J.-M., FORT, C. & FERHI, A., Differential response of leaf conductance, carbon isotope discrimination and water-use efficiency to nitrogen deficiency in maritime pine and pedunculate oak plants, 149

GUNDERSON, C. A. (see NORBY, R. J.), 91

HELANDER, M. L., Responses of pine needle endophytes to air pollution, 223

HELLEBUST, J. A. (see QUORESHI, A. M.), 263

HENK VENEMA, J. (see CLEMENT, J. M. A.), 345

HODGE, A., ALEXANDER, I. J. & GOODAY, G. W., Chitinolytic activities of *Eucalyptus pilularis* and *Pinus sylvestris* root systems challenged with mycorrhizal and pathogenic fungi, 255

HOLOPAINEN, J. K., RIKALA, R., KAINULAINEN, P. & OKSANEN, J., Resource partitioning to growth, storage and defence in nitrogen-fertilized Scots pine and susceptibility of the seedlings to the tarnished plant bug *Lygus rugulipennis*, 521

HOWARTH, C. J. (see CAIRNS, A. J.), 409

HUSS-DANELL, K. (see EKBLAD, A.), 443, 453

JIANG, X. N. (see CEULEMANS, R.), 99

JOHNSON, J. D., BYRES, D. P. & DEAN, T. J., Diurnal water relations and gas exchange of two slash pine (*Pinus elliottii*) families exposed to chronic ozone levels and acidic rain, 381

JONES, R. N., Tansley Review No. 85. B chromosomes in plants, 411

KAINULAINEN, P. (see HOLOPAINEN, J. K.), 521

KELLY, C. K. (see WOODWARD, F. I.), 311

KERLEY, S. J. & READ, D. J., The biology of mycorrhiza in the Ericaceae XVIII. Chitin degradation by *Hymenoscyphus ericae* and transfer of chitin-nitrogen to the host plant, 369

KINGHAM, K. I., DUCKETT, J. G., GLYN, M. C. P. & LEITCH, A. R., Nuclear differentiation in the filamentous caulonema of the moss *Funaria hygrometrica*, 543

KIRK, G. D. J. & BAJITA, J. B., Root-induced iron oxidation, pH changes and zinc solubilization in the rhizosphere of lowland rice, 129

KLOSTERMEYER, D. (see AGERER, R.), 377

KOIDE, R. T. & LU, X., On the cause of offspring superiority conferred by mycorrhizal infection of *Abutilon theophrasti*, 435

LECKIE, C. P., CALLOW, J. A. & GREEN, J. R., Reorganization of the endoplasmic reticulum in pea leaf epidermal cells infected by the powdery mildew fungus *Erysiphe pisi*, 211

LEE, J. A. (see POTTER, J. A.), 533

LEITCH, A. R. (see KINGHAM, K. I.), 543

LIANG, J. (see ZHANG, J.), 329

LU, X. (see KOIDE, R. T.), 435

MALLOCH, D. (see QUORESHI, A. M.), 263

MARKKOLA, A. M., OHTONEN, R., TARVAINEN, O. & AHONEN-JONNARTH, U., Estimates of fungal biomass in Scots pine stands on an urban pollution gradient, 139

MATEO, P. (see FERNANDEZ-PIÑAS, F.), 403
MULLINS, C. E. (see TSEGAYE, T.), 179
NÄSLUND, K. (see SANDELIUS, A. S.), 231
NIETCH, C. T. (see NORBY, R. J.), 91
NORBY, R. J., WULLSCHLEGER, S. D., GUNDERSON, C. A. & NIETCH, C. T., Increased growth efficiency of *Quercus alba* trees in a CO_2-enriched atmosphere, 91
——, (see TSCHAPLINSKI, T. J.), 169
OHTONEN, R. (see MARKKOLA, A. M.), 139
OKSANEN, J. (see HOLOPAINEN, J. K.), 521
PEÑUELAS, J., FILELLA, I. & GAMON, J. A., Assessment of photosynthetic radiation-use efficiency with spectral reflectance, 291
PLEIJEL, H. (see SANDELIUS, A. S.), 231
——, SKÄRBY, L., WALLIN, G., SELLDÉN, G., A process-oriented explanation of the nonlinear relationship between grain yield of wheat and ozone exposure, 241
POLLOCK, C. J. (see CAIRNS, A. J.), 409
POTTER, J. A., PRESS, M. C., CALLAGHAN, T. V. & LEE, J. A., Growth responses of *Polytrichum commune* and *Hylocomium splendens* to simulated environmental change in the sub-arctic, 533
PRESS, M. C. (see POTTER, J. A.), 533
PSARAS, G. K. & RHIZOPOULOU, S., Mesophyll structure during leaf development in *Ballota acetabulosa*, 303
QUORESHI, A. M., AHMAD, I., MALLOCH, D. & HELLEBUST, J. A., Nitrogen metabolism in the ectomycorrhizal fungus *Hebeloma crustuliniforme*, 263
RAFAREL, C. R., ASHENDEN, T. W. & ROBERTS, T. M., An improved Solardome system for exposing plants to elevated CO_2 and temperature, 481
RAMBAL, S. (see DAMESIN, C.), 159
READ, D. J. (see KERLEY, S. J.), 369
REILING, K. (see DAVISON, A. W.), 337
RHIZOPOULOU, S. (see PSARAS, G. K.), 303
RIKALA, R. (see HOLOPAINEN, J. K.), 521
ROBERTS, K. (see DOLAN, L.), 121
ROBERTS, T. M. (see RAFAREL, C. R.), 481
ROBSON, A. D. (see SCHWEIGER, P. F.), 247
ROLFE, S. A. & SCHOLES, J. D., Quantitative imaging of chlorophyll fluorescence, 69
SANDELIUS, A. S., NÄSLUND, K., CARLSSON, A. S., PLEIJEL, H. & SELLDÉN, G., Exposure of spring wheat (*Triticum aestivum*) to ozone in open-top chambers. Effects on acyl lipid composition and chlorophyll content of flag leaves, 231
SCHEIDEGGER, C. (see SCHROETER, B.), 273
SCHOLES, J. D. (see ROLFE, S. A.), 69
SCHROETER, B. & SCHEIDEGGER, C., Water relations in lichens at subzero temperatures: structural changes and carbon dioxide exchange in the lichen *Umbilicaria aprina* from continental Antarctica, 273
SCHWEIGER, P. F., ROBSON, A. D. & BARROW, N. J., Root hair length determines beneficial effect of a *Glomus* species on shoot growth of some pasture species, 247
SEGSCHNEIDER, H.-J., WILDT, J. & FÖRSTEL, H., Uptake of $^{15}NO_2$ by sunflower (*Helianthus annuus*) during exposures in light and darkness: quantities, relationship to stomatal aperture and incorporation into different nitrogen pools within the plant, 109
SELLDÉN, G. (see SANDELIUS, A. S.), 231
——, (see PLEIJEL, H.), 241
SIMPSON, R. J. (see BONNETT, G. D.), 199
SKÄRBY, L. (see PLEIJEL, H.), 241
SNOWDEN, R. E. D. & WHEELER, B. D., Chemical changes in selected wetland plant species with increasing Fe supply, with specific reference to root precipitates and Fe tolerance, 503
STABENTHEINER, A. (see BERMADINGER-STABENTHEINER, E.), 41
STAL, L. J., Tansley Review No. 84. Physiological ecology of cyanobacteria in microbial mats and other communities, 1
STEGLICH, W. (see AGERER, R.), 377
STEWART, D. B. (see TSCHAPLINSKI, T. J.), 169
TARVAINEN, O. (see MARKKOLA, A. M.), 139
TAY, F. C. S. (see DAVISON, E. M.), 393
TAYLOR, G. (see GARDNER, S. D. L.), 81
——, (see FERRIS, R.), 491
TSCHAPLINSKI, T. J., STEWART, D. B. & NORBY, R. J., Interactions between drought and elevated CO_2 on osmotic adjustment and solute concentrations of tree seedlings, 169
TSEGAYE, T., MULLINS, C. E. & DIGGLE, A. J., Modelling pea (*Pisum sativum*) root growth in drying soil. A comparison between observations and model predictions, 179
VAN HASSELT, P. R. (see CLEMENT, J. M. A.), 345
VAN PRAET, L. (see CEULEMANS, R.), 99
VOESENEK, L. A. C. J. (see BANGA, M.), 191
VOGELMANN, T. C. (see ÅLENIUS, C. M.), 297
WALLANDER, H. (see EKBLAD, A.), 443
WALLIN, G. (see PLEIJEL, H.), 241
WATSON, A. K. (see DITOMMASO, A.), 51
WEST, C. P. (see ELMI, A. A.), 61
WHEELER, B. D. (see SNOWDEN, R. E. D.), 503
WILDT, J. (see SEGSCHNEIDER, H.-J.), 109
WOODWARD, F. I. & KELLY, C. K., The influence of CO_2 concentration on stomatal density, 311
WULLSCHLEGER, S. D. (see NORBY, R. J.), 91
YOUNG, N. & ASHFORD, A. E., Apoplastic permeability of sclerotia of *Sclerotium rolfsii*, *Sclerotium cepivorum* and *Rhizoctonia solani*, 33
ZHANG, J., ZHANG, X. & LIANG, J., Exudation rate and hydraulic conductivity of maize roots are enhanced by soil drying and abscisic acid treatment, 329
ZHANG, X. (see ZHANG, J.), 329

Subject Index

ABA, 329
Above-ground biomass, 241
Abutilon theophrasti, 435
Abutilon theophrasti (velvetleaf), 51
Acer saccharum (sugar maple), 169
Acidification, 129
Acremonium coenophialum, 61
Air pollution, 223, 345
Allometry, 311
Alnus, 453
Alnus incana, 443
Ammonia, 345
Ammonium toxicity, 361
Antarctica, 273
Anthyllis vulneraria (kidney vetch), 491
AOT, 241
Apoplastic permeability, 33
Arabidopsis, 121
Arabinogalactan proteins, 121
Avena sativa (oats), 69
B chromosomes, 411
Ballota acetabulosa, 303
Bioassays, 461
Biological control, 51
Biophysics of cell expansion, 81
Brassica napus L., 297
Bryophyta, 543
Cadmium, 403
Calcium, 403
Carbon allocation, 471
Carbon dioxide, 91
Carbon isotope discrimination, 149
Cation–anion balance, 129
Cell and nuclear differentiation, 543
Cell wall extensibility, 81
Chitin, 369
Chitinolytic activities, 255
Chlorophyll, 297
Chlorophyll fluorescence, 159
Chlorophyll fluorescence quenching, 69
Chromosome polymorphism, 411
Climate change, 481, 533
Climatic change, 311
CO_2, 311
Colletotrichum coccodes, 51
Competition, 51
Confocal laser scanning microscopy, 211
Critical level, 337
Cyanobacteria, 1
Dactylorhiza incarnata (L.) Soó, 361
Dactylorhiza spp., 353
Death, 393
Differentiation, 121
Disease, 51
rDNA, 543
Drought and elevated CO_2, 169
Ectomycorrhiza, 139, 443, 453
Ectomycorrhizal fungus, 263
Elevated atmospheric CO_2, 99
Elevated CO_2, 81, 481, 491
Elevated temperature, 481
Elongation rate, 179
Endophyte, 61
Endophytic fungi, 223
Endoplasmic reticulum, 211
Endoreduplication, 543
Enzyme regulation, 263
Epidermal cell density, 99
Errata, 409
Erysiphe pisi, 211
Estimation of fungal biomass, 139
Eucalyptus forest soil, 461
Eucalyptus marginata, 393
Eucalyptus pilularis, 255
Evolutionary comparative method, 311
Exposure system, 481
Extramatrical mycelium, 443
Exudation rate, 329
Fertilization, 521
Fertilizer, 533
Festuca arundinacea (tall fescue), 61
Fibre-optic microprobe, 297
Flavonoid, 297
Flooding, 191
Floral ecology, 41
Frankia, 453
Fructan exohydrolase, 199
β-Fructofuranosidase, 199
Fungi, 139
Galactolipid, 231
Gas exchange and water-use efficiency, 149
Genome organization, 411
Global change, 91
Glomus sp., 247
Grain yield, 241
Growth conditions, 263
Growth efficiency, 91
Hardening, 345
Harvest index, 241
Haustoria, 211
Heathlands, 369
Hebeloma crustuliniforme, 263, 471
Herbivory, 521
Hexosamine, 369
HPLC, 377
Hybrid poplar, 81
Image analysis, 69
In vitro culture, 353, 361
Inflorescences of *Arum maculatum* L., 41
Inoculum potential, 461
Intercellular space, 303
Invertase, 199
Iron oxidation, 129
Iron plaque, 503
Iron toxicity and tolerance, 503
Jarrah dieback, 393
Leaf development, 303
Leaf elongation, 191
Leaf gas exchange, 159
Leaf growth, 81
Lichenized ascomycetes, 273
Liquidambar styraciflua (sweetgum), 169
Lolium rigidum, 199
Low-temperature scanning electron microscopy, 273
Maternal effects, 435
Matric potential, 179
Mediterranean deciduous oak, 159
Membrane lipid, 231
Metabolic versatility, 1
Microbial mat, 1
Mitotic drive, 411
Moss, 533
Mycorrhiza, 255, 369
Mycorrhizal benefit, 247
Mycorrhizas, 461
Needle conductance and age class, 381
Needles, 223
Nitrate response, 361
Nitrogen, 353
Nitrogen and sulphur deposition, 139
Nitrogen assimilation, 263
Nitrogen deficiency, 149

Nitrogen dioxide, 109
Nitrogen fixation, 1, 453
Nitrogen pool, 109
Nitrogen transfer, 369
Nitrogen-fixing cyanobacterium, 403
$^{15}NO_2$, 109
non-Mendelian inheritance, 411
Ochre, 503
Offspring vigour, 435
Open-top chambers, 91, 231
Osmotic adjustment, 61, 169
Ozone, 231, 337, 471
Ozone dose, 241
Ozone exposure, 381
Palisade and spongy mesophyll, 303
Pasture species, 247
Pathogen, 255
Paxillus involutus, 443
Pea powdery mildew, 211
Penetration resistance, 179
pH, 361
Phosphorus, 353
Photochemical reflectance index (PRI), 291
Photosynthesis, 1, 273
Photosynthetic radiation-use efficiency (PRUE), 291
Phytophthora cinnamomi, 393
Piceirhiza nigra, 377
Pinus pinaster (maritime pine), 149
Pinus ponderosa, 471
Pinus sylvestris, 139, 223, 255, 443, 521
Plant chemistry, 521
Plantago major, 337
Plant–insect interaction, 521
Platanus occidentalis (American sycamore), 169
Premature senescence, 231
Quantum yield ($\Delta F/F'_m$), 291
Quercus alba L. (white oak), 91
Quercus pubescens, 159
Quercus robur (pedunculate oak), 149
Referees, 557
Reflectance and fluorescence, 291
Rhizoctonia solani, 33
Rice rhizosphere, 129
Root hair length, 247
Root hydraulic conductivity, 329
Root precipitates, 503
Roots, 121
Rumex species, 191
Sanguisorba minor (salad burnet), 491
Sclerotia, 33
Sclerotium cepivorum, 33
Sclerotium rolfsii, 33
Secondary thickening, 121
Seed nutrient content, 435
Soil drying, 329
Soil spatial variability, 461
Solardome, 481
Specific nodule activity, 453
Spliceosome, 543
Stomatal conductance, 109, 337
Stomatal density, 99, 311
Stomatal index, 99
Stomatal pore length, 99
Structure of epidermal tissues, 41
Subzero temperatures, 273
Sugar content, 345
Summer drought, 159
Sunflower, 109
Temperature, 533
Thelephoraceae, 377
Thelephoric acid, 377
Thermogenesis, 41
Thermography, 41
Toxicity amelioration, 403
Triticum aestivum (winter wheat), 345
Ultraviolet-B radiation, 297
u.v.-spectra, 377
Vapour pressure deficit, 381
Volumetric soil moisture, 381
Water, 533
Water deficit, 491
Water depth, 191
Water movements, 191
Water relations, 61, 303
Water-use efficiency, 491
Wetland plants, 503
Xylem vessels, 393
Xylem water potential, 381
Zea mays (maize), 329
Zeaxanthin, 291
Zinc solubilization, 129